

Toyota Hilux Armouring
SARKAR DEFENCE UK

Herewith our specification for the vehicles to be armored to Level B5

Toyota pick-up HiLUX

Model : 2008 4x4 double cabin

Model for 5+4 passengers



1. Armoring layout



All original paneling, as listed below, is removed and those areas are lined with armored steel. Once installed, the original paneling is refitted. All original glass is removed and replaced with curved bullet resistant glass. Concealed armoring help the vehicle appear almost unchanged to the average eye.

2. Rear Passenger compartment

Construction of a closed rear box situated in the trunk and designed to accommodate 4 passengers. The box armored against 7.62 AK47 bullets.

The rear compartment includes:

- ☞ 2 benches.
- ☞ A rear Air condition unit.
- ☞ 2 side windows.
- ☞ Evaporator cover
- ☞ Gas hose assembly
- ☞ Electrical harness
- ☞ Intercom with the front compartment



3. Protection Level B5

— 7.62x39 AK 47

—ξ 5.56x45 (SS109)

4 Protected areas within the vehicle

— A curved bullet resistant windscreen will be supplied.

- The firewall and foot well will be armored steel.
- armor will be fitted to driver and all passenger doors
- A, B & C Pillars, on both sides of the vehicle, will be armored internally
- All other bullet resistant glass will be fixed in place. You will therefore not be able to open the windows except the driver's window (up to 12 cm).
- Overlapping armor will be fitted around the door apertures to avoid any gaps
- The vehicle rear part armored with partition up to roof height, front half will be covered with armored roof
- All re-trimming will be done in the original color
- The original locking system is retained.
- Roof armor will be provided at an angle of incidence defeating level IIIA NIJ
- Floor protection with "Bomb-Blast". Defeating level IIIA NIJ.
- Run Flats tires- Allow 40 Km drive after tires were shot Includes installation mounted on Std rim



5. Indemnity

By accepting any quote the client hereby indemnifies the supplier from all and any claims whatsoever arising with regard to loss or injury to person or property as a result of services provided or work done by the supplier, their employees (including Directors) or Sub contractors.

Furthermore, the client hereby indemnifies the supplier for any ballistic penetration resulting in consequential damage to property, injury, or death, due to higher caliber weapons or non-standard hand loaded cartridges being used in attacks, or penetrations through areas the client at his own discretion chooses not to protect. Although every care will be taken to armor all the above sections completely, there will be possible gaps due to the vehicle construction.

6. Warranty

We offer a full "swop out" on any defective workmanship for a full 12 months from date of purchase. On collection of the vehicle(s) a thorough inspection is carried out by both parties. Once the vehicle has been signed off all replacement glass is for the client's account.

Please bear in mind that an armored vehicle is a specialized product, and is different to a regular vehicle in many ways. Certain areas of the vehicle have been upgraded to enhance performance, but the additional weight of the armoring that is fitted for your protection, means that tires, brakes, suspension door hinges, window winder mechanisms, windscreen wipers and other systems are placed under more strain. For this reason, it is advisable to have these items checked at every service, oiled, tightened and adjusted where necessary to ensure continued reliability and security.

In some cases, handling characteristics of the vehicle may require special attention with regard to driver training, which we would be happy to advise on. It

is a condition of the warranty that all necessary repairs are carried out by us or an authorized workshop